

VersaPacker



Benefits

- *Mobile - on Casters*
- *PLC Controlled*
- *Highly Versatile*
- *Highly Reliable*
- *2 to 6 Axis Robotic Arm Loading*
- *Low Maintenance Requirements*
- *Menu Driven Change-overs*
- *Virtually Unlimited Pack Patterns*
- *Extremely Gentle Product Handling*
- *Easy to Operate and Maintain*

The Ultimate in Form and Function

The VersaPacker offers the quality and reliability you've come to expect from Automated Motion. Designed to be reliable and versatile to meet the demanding requirements of high-speed production lines yet delivering unprecedented flexibility to allow our customers to adapt to changing market demands.

This case packer can be configured to run uniform or odd shaped products with menu selectable pack patterns. This feature provides very quick case change-overs which results in increased production.



Automated Motion

www.automated-motion.com

General Specifications

Item		Model	VersaPACKER	
Controlled Axis			2 - 6 Axis	
Payload			15 - 30 lbs.	
Repetitive Positioning Accuracy			1 mm	
Case	Height		16"	
	Width		20"	
	Length		30"	
Robot Range	Base Rotation		+/- 20°	
	Reach		36"	
	Vertical		22"	
	Head Rotation		360°	
Allowable Inertia			0.15 in-lbs-s ²	
Ambient Conditions	Temperature		35° - 135° F	
	Humidity		5 to 90% RH (non condensing)	
	Others			Free from corrosive gases or liquids
				Clean and Dry
				Free from excessive electrical noise
		Adequate electrical ground source		




Automated Motion

1207A Belmar Drive
 Belcamp, Maryland 21017
 Tel: 410-679-7902
 Fax: 410-679-7903

Website: www.automated-motion.com
 Email: Sales@automated-motion.com

Standard 6-Axis VersaPACKER



The dimensions, descriptions, illustrations and other particulars in this brochure are provided in good faith and are for information purposes only. No guarantee or warranty is given or implied by Automated Motion Inc. Photographs are for illustration only and may be shown with guards removed to highlight details or features.
 Copyright © 2004 Automated Motion Incorporated.